

# PRICE LIST OF TEST SIEVES



# PRECISELEKT Ltd.

(Prices in EUR without VAT)

Valid from 1.1.2019



frame	stainless steel or brass or aluminium		stainless steel or brass		black varnished casted aluminium		stainless steel or brass		stainless steel or brass		varnished steel sheet	
	nominal diameter of frame in mm	75 a 100	200		125 a 200		300		400		500x500	
medium	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate
aperture size in mm	price		price		price		price		price		price	
0,020	128		328		304		-		-		-	
0,025	62		97		74		154		192		380	
0,032	62		88		65		152		190		320	
0,036	60		86		64		150		188		260	
0,038	60		86		62		148		186		220	
0,040	60		80		58		140		184		196	
0,045	60		80		58		140		181		196	
0,050	60		80		57		134		180		196	
0,053	60		80		57		134		180		196	
0,056	60		80		57		134		180		196	
0,063	60		80		57		134		180		196	
0,071	60		80		54		121		176		196	
0,075	60		80		54		121		176		195	
0,080	60		80		54		121		176		195	
0,090	60		80		54		121		176		194	
0,100	60		80		54		121		176		194	
0,106	60		80		54		121		174		194	
0,112	60		80		54		121		173		193	
0,125	60		80		54		121		171		192	
0,140	60		80		54		121		170		191	
0,150	60		80		54		118		170		190	
0,160	60		80		54		118		169		190	
0,180	60		80		54		118		168		189	
0,200	60		80		54		118		167		188	
0,212	60		80		54		118		167		186	
0,224	60		80		54		118		167		185	
0,250	60		80		54		118		167		184	
0,280	60		80		54		118		169		185	
0,300	60		80		54		118		170		186	
0,315	60		80		54		118		170		184	
0,355	60		80		54		118		171		189	
0,400	60		80		54		119		172		184	
0,425	60		80		54		120		173		190	
0,450	60		80		54		120		174		191	
0,500	60	o 72	80	o 102	54	o 76	120		174		188	
0,560	60		80		54		120		174		193	

frame	stainless steel or brass or aluminium		stainless steel or brass		black varnished casted aluminium		stainless steel or brass		stainless steel or brass		varnished steel sheet	
nominal diameter of frame in mm	75 a 100		200		125 a 200		300		400		500x500	
medium	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate
aperture size in mm	price		price		price		price		price		price	
0,600	60		80		54		120		174		194	
0,630	60		80		54		120		174		188	
0,710	60		80		54		120		174		195	
0,800	60		80		54		120		173		196	
0,850	60		80		54		120		173		197	
0,900	60		80		54		120		172		198	
1	60	o 93	80	o 99	54	o 73	120		172		199	
1,12	60		80		54		120		172		199	
1,18	60		80		54		120		173		199	
1,2	60	o 86		o 99		o 96						
1,25	60		80		54		120		173		199	
1,3	60			136								
1,4	60	o 85	80	o 96	54	o 90	120		174		199	
1,5	60	o 84	80	o 99	54	o 90	120	o 160	174		199	
1,6	60	o 79	80	o 97	54		120		174		199	
1,7	60		80		54		120		175		199	
1,8	60	o 79	80	o 92	54	o 90	120		175		199	
2	60	o 79	80	o 92	58	o 74	120	o 150	175	o 180	199	224
2,2		o 79		o 92		o 72		o 148		o 180		
2,24	60		80		56		120		179		199	
2,36	60		80		58		123		181		199	
2,5	60	o 79	83	o 92	64	o 72	128	o 150	181	o 180	199	200
2,75		o 79		o 92		o 72		o 151		o 180		
2,8	60	o 78	85	o 91	60	o 72	137	o 139	181	o 180	199	200
3		o 77	85	o 91	60	o 74		o 145		o 180		200
3,1		o 76		o 91		o 74		o 141		o 180		
3,15	60	o 75	85	o 91	60	o 74	137	o 140	181	o 180	199	200
3,2		o 74		o 91		o 72		o 138	0	o 180		
3,35	60		88		60		137		193		199	
3,5		o 73		o 91		o 66		o 134		o 177		
3,55	60		85		60		137		193		199	
4	60	o 72	85	o 89	61	o 66	137	o 139	193	o 175	199	200
4,25		o 72		o 89		o 66		o 132		o 172		200
4,5	60	o 72	85	o 89	61	o 66	137	o 131	193	o 172	199	200
4,75	60	o 72	85	o 89	61	o 66	137	o 130	193	o 172	199	200
5	60	o 71	85	o 88	61	o 66	137	o 126	193	o 172	199	200
5,5		o 71		o 85		o 62		o 126		o 172		196
5,6	75	o 71	86	o 85	62	o 62	137	o 126	193	o 172	199	195
6		o 71		o 85		o 61		o 126		o 172		195
6,3	75	o 71	87	o 85	62	o 61	137	o 126	193	o 172	199	194
6,5		o 71		o 85		o 61		o 125		o 172		194
6,7	75		87		62		137		193		199	194
7		o 70		o 85		o 61		o 125		o 172		193
7,1	75	o 70	87	o 84	62	o 61	137	o 125	193	o 172	199	193
8	75	o 70	87	o 84	62	o 60	137	o 124	193	o 172	199	192
8,5		o 70		o 83		o 59		o 124		o 172		191
9	75	o 70	87	o 83	62	o 59	137	o 124	193	o 172	199	190
9,5	75		88		62		137		193		199	190

frame	stainless steel or brass or aluminium		stainless steel or brass		black varnished casted aluminium		stainless steel or brass		stainless steel or brass		varnished steel sheet	
nominal diameter of frame in mm	75 a 100		200		125 a 200		300		400		500x500	
medium	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate
aperture size in mm	price		price		price		price		price		price	
10	75	□ 70	88	□ 87	62	□ 63	137	□ 124	193	□ 174	199	189
11		□ 69		□ 87		□ 63		□ 124		□ 174		188
11,2	75	□ 69	88	□ 87	62	□ 63	137	□ 124	193	□ 174	199	188
12		□ 69		□ 87		□ 60		□ 123		□ 174		186
12,5	75	□ 69	89	□ 87	62	□ 60	137	□ 123	193	□ 174	199	184
13		○ 68		○ 87		○ 60		○ 123		○ 174		184
13,2	75		89	0	62		137		193		199	184
14	75	□ 68	90	□ 85	62	□ 60	137	□ 123	193	□ 172	199	183
15		□ 68		□ 85		□ 60		□ 122		□ 172		183
16	75	□ 68	90	□ 85	62	□ 60	137	□ 122	193	□ 172	199	182
17		□ 67		□ 82		□ 60		□ 122		□ 171		182
18		□ 67	90	□ 82	62	□ 60	137	□ 122	193	□ 170	199	182
19		□ 67	90	□ 82	62	□ 60	137	□ 122	193	□ 170	199	181
20		□ 67	90	□ 82	62	□ 59	137	□ 121	193	□ 170	199	181
21		□ 66		□ 82		□ 59		□ 121		□ 170		180
22		□ 66		□ 82		□ 59		□ 120		□ 170		180
22,4		□ 66	90	□ 81	62	□ 59	137	□ 120	193	□ 172	199	180
23		□ 66		□ 81		□ 59		□ 120		□ 170		180
24		□ 66		□ 81		□ 59		□ 120		□ 170		179
25		□ 66	90	□ 81	62	□ 59	137	□ 120	193	□ 170	199	179
26		□ 66		□ 81		□ 59		□ 120		□ 170		178
26,5		□ 66	90	□ 81	62	□ 59	137	□ 119	193	□ 170	199	178
28		□ 66	90	□ 81	62	□ 59	137	□ 119	193	□ 170	199	178
30		□ 66		□ 81		□ 59		□ 119		□ 170		177
31,5		□ 66	90	□ 80	62	□ 59	137	□ 118	193	□ 170	199	176
32		□ 66		□ 83		□ 59		□ 118		□ 170		176
35,5		□ 65		□ 80		□ 58		□ 118		□ 170	199	175
37,5		□ 65	90	□ 80	62	□ 58		□ 117		□ 170	199	174
40		□ 65		□ 80		□ 58		□ 116		□ 170	199	174
43		□ 64		□ 80		□ 58		□ 116		□ 170		173
45		□ 64	90	□ 79	62	□ 58		□ 116		□ 170	199	172
50		□ 64		□ 79		□ 58		□ 115		□ 170	199	168
53		□ 64		□ 79		□ 58		□ 115		□ 170	199	167
56		□ 64		□ 79		□ 58		□ 114		□ 169	199	166
60				□ 79		□ 58		□ 114		□ 169		166
63			90	□ 78	62	□ 58		□ 114		□ 169	199	166
64				□ 78		□ 58		□ 114		□ 169		166
70				□ 78		□ 58		□ 113		□ 169		166
71				□ 78		□ 57		□ 113		□ 169	212	166
75				□ 78		□ 57		□ 112		□ 169	212	166
80				□ 78		□ 57		□ 112		□ 169	212	166
90				□ 80		□ 57		□ 112		□ 169	212	165
100				□ 77		□ 57		□ 111		□ 169	212	156
106				□ 77		□ 57		□ 111		□ 169	212	154
112				□ 77		□ 57		□ 110		□ 169	212	152
125				□ 76		□ 57		□ 110		□ 169	212	150
175												148
250												144

Accessories and services												
frame	stainless steel or brass or aluminium		stainless steel or brass		black varnished casted aluminium		stainless steel or brass		stainless steel or brass		varnished steel sheet	
nominal diameter of frame in mm	75 a 100		200		125 a 200		300		400		500x500	
medium	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate	wire cloth	perf. plate
aperture size in mm	price		price		price		price		price		price	
plain cover	14	14	18	18	18	18	36	36	40	40	92	
cover with grip for bonding strip			32	32	32	32					176	
transparent cover			42	42	42	42						
bottom pan	18	18	38	38	38	38	43	43	48	48	132	132
bottom pan for wet sieving			62	62	62	62	172	172				
sealing rubber	1	1	2	2	2	2	4	4	9	9		
mill sieves (polyamide screen)			60		48							
repair of mill sieves			18		18							
bonding strip			12	12	12	12						
bonding strip with clamps			14	14	14	14						
ultrasonic cleaning reduction	2	1	3	2	3	2	5	2	6	3		
empty sieve	24	24	40	40	40	40	112	112	106	106		
	32	32	44	44	44	44	68	68	80	80	92	92

Sieves for cereals acc. to ISO 5223						
aperture size (mm)	circular shape dia. 200 mm		shape (Steinecker) cca 150 x 430 mm		shape (Sortimat)	shape (SSZ)
	frame st. steel or brass	frame black varnished aluminium	with wooden frame	without frame	without frame	without frame
1 x 20	90	66	96	64	51	120
1,5 x 20	89	64	96	64	51	104
1,6 x 20			96	80		
1,8 x 20	88	64	75	47	51	100
1,9 x 20	88	64	75	47	51	98
2 x 20	88	64	74	46	51	96
2,2 x 20	88	64	74	46	50	92
2,5 x 20	88	64	74	46	36	90
2,6 x 20	87	64	74	46	36	88
2,8 x 20	87	64	73	45	35	87
3 x 20	87	64	73	45	35	87
3,25 x 20	87	64	73	45	35	87
3,5 x 20	87	64	73	45	35	87
3,75 x 20	86	61	73	45	35	87
4 x 20	86	61	73	45	35	87
4,5 x 20	86	60	72	44	35	86
5,5 x 20	85	60	72	44	34	86
6 x 20	85	60	72	44	34	86
6,5 x 20	88	59	71	43	34	85
7 x 20	84	59	71	43	33	85
7,25 x 20	84	58	70	42	33	84
7,5 x 20	83	58	70	42	32	84
8 x 20	83	58	70	42	32	84



Bar Sieves acc. to EN 933-3	
aperture size	price
2,5	179
3,15	176
4	173
5	171
6,3	169
7,2	168
8	167
10	163
12,5	160
16	158
20	155
25	153
31,5	150
40	147
50	144

Other sieves			
Diameter (mm)	Frame	Depth (mm)	Price in EUR
for testing asphalt			
160	brass	115	68
keramická			
200	alu. or st. st.	100	see alu. sieves + 16 EUR
200	alu. or st. st.	150	see alu. sieves + 32 EUR
nenormové průměry			
215	stainless steel		112
125	aluminium		74
prázdná síta (mezikusy)			
200	stainless steel		60
200	aluminium		44

Calibration with certificate	
<b>metal media</b>	
- wire cloth	17
- perforated plate	11
<b>mill sieves</b>	
- polyamide screen	10
<b>bar sieves</b>	10
<b>sliding calipers</b>	18

#### Poznámky:

- ○ means round shaped holes
- □ means square shaped holes
- Perforated plates may be also with other holes
- On demand we manufacture also other sieves as stated in the price list, especially:  
sieves for Alpine shakers with prices accordingly to price list + 8,-EUR  
plastic sieves with nominal Dia. 200 mm for price 142,- EUR and with nominal Dia. 100 mm and 75 mm for price 112,- EUR  
reductions for sieves with different diameters
- Calibration ensured by Czech Metrology Institute
- Prices of sieves 500/500 mm with perforated plates made of galvanized steel instead of stainless steel are by 10% lower.
- **Damaged media can be exchanged for 50 - 65 percent price of new sieves.**



#### Kontakty:

phone:	00420 546 220 162	Dipl.Ing. Emil Zverina	e-mail:	<a href="mailto:preciselekt@preciselekt.com">preciselekt@preciselekt.com</a>
GMS:	00420 723 844 938		web:	<a href="http://www.preciselekt.com">www.preciselekt.com</a>
fax:	00420 541 229 007			